

SKODA

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
FABIA 09/1999→03/2007 (Type 6Y) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	35	5 / 100	C.R.	369 757 002	035 457 571	
	369	8.0 x 18	35	5 / 100	C.R.	369 808 006	035 457 571	
	383	8.0 x 18	32	5 / 100	C.R.	383 808 007	065 457 571	
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
FABIA 03/2007→ (Type 5Y) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	35	5 / 100	C.R.	369 757 002	035 457 571	
	369	8.0 x 18	35	5 / 100	C.R.	369 808 006	035 457 571	
	383	8.0 x 18	32	5 / 100	C.R.	383 808 007	065 457 571	
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
OCTAVIA 03/2004→ (Type 1Z) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	More aggressive
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
OCTAVIA RS 03/2006→ (Type 1Z) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	More aggressive
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

SKODA

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
OCTAVIA SCOUT 03/2007 → (Type 1Z) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	More aggressive
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	
PRAKTIK 09/2008 → (Type5Y) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	35	5 / 100	C.R.	369 757 002	035 457 571	
	369	8.0 x 18	35	5 / 100	C.R.	369 808 006	035 457 571	
	383	8.0 x 18	32	5 / 100	C.R.	383 808 007	065 457 571	
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
ROOMSTER 09/2006 → (Type5J) PCD 5 / 100 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	35	5 / 100	C.R.	369 757 002	035 457 571	
	369	8.0 x 18	35	5 / 100	C.R.	369 808 006	035 457 571	
	383	8.0 x 18	32	5 / 100	C.R.	383 808 007	065 457 571	
	501	8.0 x 18	32	5 / 100	C.R.	501 808 007	035 457 571	
	505	8.0 x 18	32	5 / 100	C.R.	505 808 007	035 457 571	
SUPERB 09/2001 → 03/2008 (Type 3U) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	31	5 / 112	C.R.	369 757 003	035 457 571	
	369	8.0 x 18	30	5 / 112	C.R.	369 808 001	035 457 571	
	369	9.5 x 18	30	5 / 112	C.R.	369 958 001	035 457 571	Rear Axle
	383	8.0 x 18	30	5 / 112	C.R.	383 808 001	065 457 571	
	383	9.5 x 18	30	5 / 112	C.R.	383 958 001	065 457 571	Rear Axle
	501	8.0 x 18	30	5 / 112	C.R.	501 808 001	035 457 571	
	501	9.5 x 18	30	5 / 112	C.R.	501 958 001	035 457 571	Rear Axle
	505	8.0 x 18	30	5 / 112	C.R.	505 808 001	035 457 571	
	505	9.0 x 18	30	5 / 112	C.R.	505 908 001	035 457 571	Rear Axle
	369	8.5 x 19	30	5 / 112	C.R.	369 859 001	035 457 571	
	369	9.5 x 19	30	5 / 112	C.R.	369 959 001	035 457 571	Rear Axle
	383	8.5 x 19	30	5 / 112	C.R.	383 859 001	065 457 571	
	383	9.5 x 19	30	5 / 112	C.R.	383 959 001	065 457 571	Rear Axle
	501	8.5 x 19	30	5 / 112	C.R.	501 859 001	035 457 571	
	501	9.5 x 19	30	5 / 112	C.R.	501 959 001	035 457 571	Rear Axle
	505	8.5 x 19	30	5 / 112	C.R.	505 859 001	035 457 571	
	505	9.5 x 19	30	5 / 112	C.R.	505 959 001	035 457 571	Rear Axle

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

SKODA

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
SUPERB 03/2008→ (Type 3T) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	More aggressive
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 001	035 457 571	
	501	9.5 x 18	40	5 / 112	C.R.	501 958 001	035 457 571	Rear Axle
	505	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	
	505	9.0 x 18	40	5 / 112	C.R.	501 958 002	035 457 571	Rear Axle
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	501 959 002	035 457 571	Rear Axle
	501	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	
	501	9.5 x 19	40	5 / 112	C.R.	505 959 002	035 457 571	Rear Axle
YETI 09/2009→ (Type 5L) PCD 5 / 112 - Hub Ø57 – Screw M14 x 1.5 17 HEX								
	369	7.5 x 17	45	5 / 112	C.R.	369 757 004	035 457 571	
	369	8.0 x 18	40	5 / 112	C.R.	369 808 002	035 457 571	More aggressive
	369	8.0 x 18	48	5 / 112	C.R.	369 808 010	035 457 571	
	383	8.0 x 18	40	5 / 112	C.R.	383 808 002	065 457 571	More aggressive
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	065 457 571	
	501	8.0 x 18	40	5 / 112	C.R.	501 808 002	035 457 571	More aggressive
	501	8.0 x 18	48	5 / 112	C.R.	501 808 003	035 457 571	
	505	8.0 x 18	40	5 / 112	C.R.	505 808 002	035 457 571	More aggressive
	505	8.0 x 18	48	5 / 112	C.R.	505 808 003	035 457 571	
	369	8.5 x 19	40	5 / 112	C.R.	369 859 002	035 457 571	More aggressive
	369	8.5 x 19	48	5 / 112	C.R.	369 859 009	035 457 571	
	383	8.5 x 19	40	5 / 112	C.R.	383 859 002	065 457 571	More aggressive
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	065 457 571	
	501	8.5 x 19	40	5 / 112	C.R.	501 859 002	035 457 571	More aggressive
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	035 457 571	
	505	8.5 x 19	40	5 / 112	C.R.	505 859 002	035 457 571	More aggressive
	505	8.5 x 19	48	5 / 112	C.R.	505 859 003	035 457 571	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.